Section 1: PRODUCT AND COMPANY IDENTIFICATION			
Product Name:	ALL 63/37 (Sn/Pb) SOLDER PA	STES	
	This MSDS is for all types of solder pastes the	nat use Sn/Pb 63/37 and 60/40 powder.	
FCT Assembly Inc. 1309 N. 17th Ave.		Company Phone Number: 970-346-8002	
Greeley, CO 8063		Website: www.fctassembly.com	
USA	Emergency Phone Nu	nber: 800-535-5053	
	Section 2: HAZARDS	IDENTIFICATION	
EMERGENCY OVE	RVIEW		
Signal Word: W	ARNING		
Hazard Type: N	one		
Appearance: G	rey cream		
Color: G	rey		
	one to slight		
Likely Exposure Ro	utes: Eyes, Ingestion, Inhalation, Skin		
	Exposure	Effects	
Inhalation: May car	use physical discomfort to the respiratory tr	act.	
Eyes: May car	use slight irritation.		
Ingestion: May car	use nausea and vomitting. May cause irrita	tion to the mouth, throat and stomach.	
Skin: Prolong	ed contact may cause mild skin irritation.		
Target Organs: No	Determined		
Potential Carcinoge	ens as listed by OSHA, IARC, or NTP: NO	NE	
Other Possible Hea	Ith Effects: See Section 11 for more inform	ation.	
This material is consi	dered hazardous by the OSHA Hazard Commu	nication Standard (29 CFR 1910,1200)	
	ental Effects: Not Available		
FULEIILIAI EIIVIIONIII	entar Enects. Not Available		

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Hazardous Component(s)	CAS Number	Weight Percentage	
Lead	7439-92-1	30-40%	
Tin	7440-31-5	60-70%	

SECTION 4: FIRST AID MEASURES

Inhalation: Move to fresh air. Get medical attention if symptoms occur.

- Eyes: Immediately flush with water for at least 15 minutes or until the chemical is removed.
- Ingestion: If conscious, rinse mouth with water. Seek medical advice on whether to induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.

Skin: Wash off immediately with soap and water. If clothing is contaminated, remove and launder before reuse.

Special instructions for physicians: Follow usual and customary procedures

SECTION 5: FIRE FIGHTING MEASURES

Fire fighting measures: Standard procedure for chemical fires.

Fire fighter protection: Vapors and fumes may be irritating and toxic. Firefighters should wear self-contained breathing apparatus and full fire-fighting turnout gear.

Suitable extinguishing media: Carbon dioxide, dry chemical, foam or water spray.

Unsuitable extinguishing media: Not applicable

As with any chemical fire, combustion products of unknown toxicity are always possible.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8.

Containment methods: If possible, stop further leakage of the material. Contain spilled material by diking with non-flammable diking materials.

Clean-Up methods: Absorb spilled liquid in a suitable material. Sweep or vacuum material into disposal containers.

Environmental precautions: This material is a water pollutant. Keep out of drains, sewers, ditches and waterways. Minimize use of water to prevent environmental contamination.

Spill reporting requirements: If the spilled amount is greater than the RQ in section 15, this spill must be reported to the National Response Center.

Section 7: HANDLING AND STORAGE

Handling: Use good industrial practices when handling. Avoid eye, skin, and clothing contact. Do not inhale mist or vapors. Do not taste or swallow. Use only with adequate ventilation.

Storage: Keep container closed when not in use. Avoid elevated and freezing temperatures.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION						
Exposure Guidlines	<u>}</u>	OSł	OSHA		GIH	
Material Name		TWA	STEL	TWA	STEL	
Lead		.05 ppm	NE	.05 ppm	NE	
Tin		2 mg/m3	NE	2 mg/m3	NE	
General Hygiene C	onsiderations:	Discard contaminated vicinity. Work in adec any contact with any	uately ventilate			
Respiratory Protect	ion: No specia	I respiratory equipmer	nt is needed.			
Eye/Face Protection	n: Wear safe	ety glasses when hand	lling this materia	al.		
Skin Protection:	Wear nitril	e or latex gloves. Wea	ar protective clo	othing.		
Engineering Contro	ls: Work	in well ventilated area	as. Do not breat	the vapors or mis	t.	
Other Protective Ec	quipment: Eye v	vash station and safet	y shower shoul	d be available in i	mmediate work a	rea.
	Selec	t additional protective	equipment bas	ed upon potentia	I for exposure.	
	SEC	CTION 9: PHYSICAL	AND CHEMIC	AL PROPERTIES		
Color:	Grey		VOC Pe	ercentage:	<2%	
Physical State:	PASTE		Evapora	ation Rate:	N/A	
Odor:	None to slig	jht	Odor T	hreshold:	Not Determined	
Melting Point:	350 F		Coeff.	Water/Oil Dist. :	Not Determined	
Boiling Point:	>700 F		Lower E	Explosive Limit:	Not Established	

	SECTION 10: STABILITY AND REACTIVITY				
Vapor Density:	Not Determined				
Vapor Pressure:	Not Determined	Solubility:	Insoluble		
pH:	N/A	Flash Point:	Non Flammable		
Specific Gravity:	>5	Upper Explosive Limit:	Not Established		
Boiling Point:	>700 F	Lower Explosive Limit:	Not Established		

SECTION 10: STABILITY AND REACTIVITY			
Stability:	Stable		
Conditions to Avoid:	None known.		
Incompatible Materials:	None known		
Hazardous decomposition products:	Not Determined		
Possibility of hazardous reactions:	None expected.		

SECTION 11. TOXICOLOGY INFORMATION

The toxicological data below is based on the main component(s)

ACUTE EFFECTS	
Acute Oral Toxicity:	Not Determined
Acute Derma IToxicity:	Not Determined
Acute Inhalation Toxicty:	Not Determined
Sensitizaton:	Not a sensitizer
Acute Eye Irritation:	Mildly irritating.
Acute Skin Irritation:	Mildly irritating.
CHRONIC EFFECTS	
Carcinogenicity:	One of the components of this product present at concentrations considered to be carcinogenic.
Mutagenicity:	Not Determined
Reproductive Effects:	Not Determined
Teratogenicity:	Not Determined
Synergistic Products:	NONE

SECTION 12. ECOLOGICAL INFORMATION

The ecological data below is based on the main component(s)

ACUTE FISH RESULTS:

Species	Exposure	LC50	
Not Determined			

ACUTE INVERTEBRATE RESULTS:

Species	Exposure	LC50	EC50	
Not Determined				

AQUATIC PLANT RESULTS:

Species	Exposure	LC50/EC50	
Not Determined			

Persistence/Degradability: Not determined

Bioaccumulation/Accumulation: Not determined

Mobility in Environment: Not expected to be very mobile.

SECTION 13. DISPOSAL CONSIDERATIONS

Product is a RCRA Hazardous Waste? YES, D008

Dispose of in accordance with federal, state, and local regulations.

SECTION 14. TRANSPORT INFORMATION

US D.O.T. and Canadian TDG (ground) Proper Shipping Description: NON D.O.T. REGULATED

ICAO (air) Proper Shipping Description: See US D.O.T. IMDG (water) Proper Shipping Description: See US D.O.T.

SECTION 15. REGULATORY INFORMATION

FEDERAL REGULATORY INFORMATION

All components are listed in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory:

Title III SARA Section 302

Product contains materials subject to reporting under SARA Section 302? NO

<u>CERCLA</u>

Product contains materials subject to reporting under CERCLA (40 CFR302.4) **YES RQ=10**

Title III SARA Section 313

Product contains materials subject to reporting under SARA Section 313? YES

Resource Conservation and Recovery Act (RCRA) Product is a hazardous waste under RCRA (40 CFR 261.20)? **YES, D008**

STATE REGULATORY INFORMATION

California Proposition 65

Product contains materials that are carcinogenic and/or can cause reproductive harm and is subject to warning and discharge requirements under the "Safe Water and Toxic Enforcement Act of 1986": YES

WHMIS Canadian Workplace Hazardous Material Information System WHMIS Classification: Not Applicable

SECTION 16. OTHER INFORMATION

NFPA 704: National Fire Protection Association

Health: 2 Fire: 0 Reactivity: 0

0 = Minimal hazard, 1 = Slight hazard, 2 = Moderate hazard, 3 = Severe hazard, 4 = Extreme hazard

IMO International Maritime Organization

EmS Code: Not Applicable

Prepared by: Bill Plano (970) 346-8002

The information contained herein is based on data believed to be accurate and is offered at no charge. No warranty is expressed or implied regarding the accuracy of this data. Liability is expressly disclaimed for loss or injury arising out of use of this information or the use of any materials designated. It is the users responsibility for determining whether the product is suitable for its intended conditions of use.